






CODICE			PROT.			POTENZA MAX	L	
B59 60 50 --	-	LED	IP44			14W	240 mm	
B59 61 50 --	-	LED	IP44			28W	500 mm	
B59 62 50 --	-	LED	IP44			42W	500 mm	
B59 62 68 --		LED	IP44			42W	500 mm	DIMM-PUSH
B59 62 69 --		LED	IP44			26W	500 mm	DIMM-PUSH
B59 60 61 --		LED	IP44			14W	240 mm	DIMM 1-10V
B59 60 68 --		LED	IP44			14W	240 mm	DIMM-PUSH
B59 61 65 --		LED	IP44			28W	500 mm	DIMM DALI
B59 61 68 --		LED	IP44			28W	500 mm	DIMM-PUSH
B59606552		LED	IP44			14W	240mm	DIMM DALI





E2321C000



ENERGY CLASS REF.
2700K/3000K/4000K

IT: Questo prodotto contiene una sorgente luminosa di classe di efficienza energetica D

GB: This product contains a light source of energy efficiency class D

F: Ce produit contient une source lumineuse de classe d'efficacité énergétique D

D: Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse D

E: Este producto contiene una fuente luminosa de la clase de eficiencia energetica D