











MUSEO REVO MEDIUM IP67

CODE 841240

LED			IP67		IK08
-----	--	--	------	--	------


ON/OFF DALI




LED	26W	220-240V 50/60HZ			
-----	-----	---------------------	--	--	--




IN
230V




2




**> IP 67
NOT INCLUDED**




3




ON/OFF




DALI (MIN.1,5mm²)




CABLES




ART. 9G113 SNOOT






ART. 9G114 VISOR





HONEYCOMB
(ONLY FROM FACTORY)




ELLIPSE
(ONLY FROM FACTORY)



MAGNET INCLUDED








ELLIPTIC BEAM
ORIENTATION





PROTECTION




DEEP WASHER


TOP SIDE

H

40°



VERTICAL





H

A

B

Hx0,3 Ax1,3

B




H

A

B

B



DEEP WASHER

TOP SIDE

H

40°

VERTICAL

H

A

B

C

Hx0,3

Ax1,3

Bx0,5

C

B

A

B

B

C


H

a

b

h





I: LA SOSTITUZIONE DELLA SORGENTE LUMINOSA, PUO' ESSERE ESEGUITA SOLO FACENDO RIENTRARE IL PRODOTTO IN EXENIA O DA SUO CENTRO DI ASSISTENZA AUTORIZZATO.

GB: THE LIGHT SOURCE REPLACEMENT, CAN BE DONE ONLY TO RETURNED THE PRODUCT IN EXENIA OR FROM ITS AUTHORIZED SERVICE CENTRE.



Only for "NS" and "EN"

L'apparecchio di illuminazione dovrebbe essere posizionato in modo che non sia prevista un'osservazione prolungata dell'apparecchio ad una distanza inferiore a 6,04m.

The luminaire should be positioned so that prolonged staring into the luminaire at a distance closer than 6,04m is not expected

