




Superlinea is our latest product innovation capable of perfectly combining aesthetics and functionality, offering high performance with minimal glare, thus guaranteeing a dynamic and comfortable environment.











770 / 1155 / 1540 / 3075	770 / 1155 / 1540 / 3075	770 / 1155 / 1540 / 3075

770 / 1155 / 1540 / 3075 770 / 1155 / 1540 / 3075 770 / 1155 / 1540 / 3075

Effortless installation

Superlinea simplifies the setup and installation process with built-in drivers and tool-free quick connection capabilities. Each fixture integrates seamlessly into a cohesive system without the need for additional components.

The unique design of the system units allows the number of necessary suspension cables to be minimised, as they will correspond to the number of joints in the configuration, making the entire installation uncomplicated and minimally invasive.

This simplified approach not only reduces installation time but also minimizes errors, ensuring a cost-effective and hassle-free setup for both designers and installers.

To facilitate the installation of Superlinea in any context, an accessory kit is available to suspend the system in the presence of obstacles on the ceiling.

This accessory kit, easily snapped into the upper channel of the aluminum body, can slide to obtain different interdistances.

For balancing and leveling reasons, the single original hanger placed on the junction will be replaced by the kit consisting of two additional hangers.

STAND ALONE




TXT BLACK

Finishes

TXT WHITE

Superlinea in the system configuration it is offered in three options, txt white, txt black and grey aluminium txt, while in the 'stand-alone' suspension and ceiling-mounted configurations, three new colors are added to the previous ones, three material and textured finishes, iron grey, olive green, light bronze metallic.

ALUMINIUM GREY TXT


















SUMMARY SHEET

Versions

Installations









CEILING

Controls

• ON/OFF control

Outputs

(Depending on optics and dimensions)

500 lm | 700 lm | 1000 lm 1300 lm | 2000 lm | 3500 lm 4000 lm | 5000 lm | 5500 lm 6500 lm | 7000 lm | 7500 lm

- DALI
- PUSH
- CASAMBI

Colour rendering

- CRI 92
- CRI 98

MacAdam

• 3 STEP

UGR

• UGR<19

Colour temperature









2700K 3000K 3500K 4000K

Certifications

- IP 20
- IP 40



TXT

WHITE



ALUMINIUM

GREY TXT





BRONZE

MODULE








Find out more about the product!




STAND LINEAR ALONE SYSTEM


SUSPENSION

Dimensions






Emissions



DOWN optics

UP optics



Finishes







TXT

BLACK





IRON OLIVE GREEN GREY



SYSTEMS







Power of Miniaturisation

The 48 Exenia system is fundamentally different in two aspects: performance and composition.

In this collection two exclusive innovations unique to the market converge: the specialisation and power of the Revo optics and the extreme compositional freedom given by the various accessories, among others, specific patented joints which allow for the overlap of the tracks and the consequent simplified and free composition of the systems.












Lighting Options

Projectors with Revo optics in all sizes, diffused linear track light, suspensions, opal glass diffusers, bright colours or opaque and material shades are just some aspects of the creative puzzle that the system offers.








Dots

Multi-source module, embedded in 48V Micro track, with Dali electronics on board and suitable for obtaining projected light concealed and camouflaged in the structure.

Ideal for defined and effective illumination, for museum showcases, retail displays or where strong contrasts and accents are needed.







Lumiline

A thin light sign, recessed in the groove of the 48 Micro track. With an integrated DALI driver, can be installed in any straight section of the track.

It is ideal for achieving concealed and effective diffuse lighting. Suitable for museum showcases, retail displays, or for any application where light contrasts and softness of illumination are sought.






SYSTEM 48

48 REVO PROJECTORS



48 PROJECTORS



48 SUSPENSION



48 OPALS





SYSTEM 48 Micro


48 REVO PROJECTORS




48 LINEAR




48 SUSPENSION



















SYSTEM 48 SUMMARY SHEET

Tracks



TRACK 48

TRACK 48



Trimless



TRACK 48 Evo



RT

TRACK 48 TRACK 48 Twin



Controls

Versions







SUSPENSION

CEILING

Finishes



WHITE

BLACK

Related luminaires



SPOT 48 REVO Mini

0

0



00

SPOT 48

Small









Medium





REVO

Compact

WILLY 48









R2 48 SPEEDY
















Find out more about the product!

- On/Off control
- DALI
- CASAMBI

Controls

- DALI
- CASAMBI

Tracks





SYSTEM 48 Micro

SUMMARY SHEET

Micro

Versions



CEILING

Finishes





WHITE

BLACK

Related luminaires









DOTS

SPOT 48 REVO Mini

SPOT 48 REVO Small

LUMILINE







GIOTTO 48 WILLY 48

GO! 48

Find out more about the product!





JAM 48

SPOT 48

Mini







PINKO 48














TDOOR





Ideal for architects and designers who want a highly professional tool, available

in dozens of optics and installation types.

Discrete and efficient


Museo Outdoor offers five sizes, from a discreet 30mm diameter 850 cd to a powerful 100mm diameter 38500 cd.

These extremely versatile fixtures offer everything you need, from the accuracy of precision projections to general and diffused lighting.

Architects and landscape designers find the possibility of obtaining effective, glare-free lighting with compact and camouflaged luminaires perfectly integrated into the day and night environment.








Optical versatility

The nine light beam distributions of Museo Outdoor, ranging from a precise 7-degree spot to a wide 60-degree flood, two ellipticals, an asymmetric and efficient wall washer, allows designers to face down any lighting challenge.

Whether it's highlighting architectural details, uniformly illuminating walls or identifying paths, these versatile optics guarantee perfect solutions for every project.

Enjoy the peace of mind that comes from unparalleled flexibility and precision in lighting design.

















Santissima Trinità dei Pellegrini, Rome. Project Arch. Egidio Ferrara
















SUMMARY SHEET

Versions




BASE

driver on board



ROUND BASE

remote driver



remote driver





BOLLARD

remote driver

Dimensions



Ø33mm

VN

FL

Optics



Ø45mm



MEDIUM

Ø61mm



COMPACT

Ø75mm



MAX Ø96mm











Finishes





EFFECT



MUD

BROWN



SAND

DWW



CARBON

GREY

External accessories



MUSK

Certifications • IP 67 • IK 08

Outputs

500 lm | 700 lm

• 230CC • CV (48V)

• DALI

• CRI 92

• CRI 98

• 2 STEP

MacAdam

Controls

• On/Off control

Colour rendering

Colour temperature

2700K 3000K 3500K 4000K

Power supply

(Depending on optics and dimensions)

200 lm | 300 lm | 400 lm

1000 lm | 1300 lm | 2000 lm

• AC (230V); CC; CV(48V)

Internal accessories



Honeycomb



Elliptical

lents





Cut-Off

Visor



Connector

Find out more about the product!



Diffusing lens

Carter



COVE LIGHTING






Ecosizing


Nothing is by chance, Metrix is conceived and designed to be the ideal tool for highly sustainable projects.

In addition to its very high yields and small dimensions, we also strip back the raw components required while optimising the sizes available to give the least material waste during production.

This allows us to save energy and material, before, during and after the complete life cycle of the product.









1440 mm



1080 mm




720 mm



360 mm

Lengths

The linear units, made of extruded aluminum and powered by current by remoted drivers, are available in four different lengths defined by an "Ecosizing" philosophy for the maximum avoidance of material waste to obtain a more ecologically sustainable product.





Applications The complete accessories allow installations to ceilings, cornices, or onto a shelf and are fully adjustable.




Adjustable joint

Accessory that can be snapped onto the back of the extrusion. It allows surface fixing and gradual orientation with aiming lock.

Made of PA12, it is flexible and resistant to stress and impacts.

Wall bracket


Bracket with snap button on the back of the extrusion, for fixed installation on a flat surface, with a 90° orientation.








Ceiling button


Snap fastening button for direct installation on a flat surface.

















SUMMARY SHEET


Versions






Symmetrical Wall Washer


Optics



Accessories



Finishes



Outputs


(Depending on optics and dimensions)

50mA - 1300lm/m 100mA - 2600lm/m 150mA - 3800lm/m

Controls

- ON/OFF
- 1-10V
- DALI
- PUSH • CASAMBI
- PHASE CUT

Colour temperature



2700K 3000K 3500K 4000K

MacAdam

• 3 STEP


Colour rendering

- CRI 92
- CRI 98

Find out more about the product!











SLALOM left-right

To create different designs on the illuminated plane. This 500lm/m Slalom version flexes on the horizontal component and is available in static and dynamic versions of uniform white and in the RGBW version.















IP67

IKO8




SLALOM down-up




























SUMMARY SHEET

Versions












SLALOM LEFT-RIGHT











2700K 3000K 4000K RGBW

Voltage

• 24V

Controls

- On/Off control
- Casambi
- DALI
- DMX

MacAdam

• 3 STEP

Certifications

- IP 65
- IP 67
- IK 06
- IK 08

Lengths

- 2,5m
- 5m

Accessories



1m



Profile





2x50cm



Caps



Connettors





Clip

Find out more about the product!

