




L I N E A

ex/enia
LMPG


SUPER
SER

LINEA



Superlinea, supersexy!

Superlinea is our latest product innovation capable of perfectly combining aesthetics and functionality, offering high performance with minimal glare, thus guaranteeing a dynamic and comfortable environment.




Subtle difference

Designed to bring elegance and performance to offices and workspaces, this ultra-thin linear luminaire, with its unique “fly-eye” optics, offers exceptional light control and visual comfort.

Essential design aesthetics

The ultra-thin and lightweight design of Superlinea makes it an excellent choice for architects and designers looking for elegant and sustainable lighting solutions while guaranteeing efficiencies in excess of 140 lumens per watt. Belying its size, Superlinea offers impressive results, combining high performance with minimal visual impact.

The minimalist design blends with classic and modern interiors, enhancing their aesthetics without overloading the space.





Stand alone and linear systems versions. Surface and suspension options.


Superlinea has two customisable options, one as an independent suspension or ceiling-mounted fixture, the other as a continuous lighting system, made of pre-configured units connected in line, also in this case both suspension and ceiling-mounted.




The particular design of the system units allows the number of necessary suspension cables to be minimized, as they correspond to the number of joints in the configuration, making the entire installation light and minimally invasive.

Precision optics for maximum comfort

Superlinea is equipped with innovative optics designed to reduce glare to a minimum, guaranteeing UGR's lower than 19 even with wide beam angles.

With 4 direct and 2 indirect beam distributions, including a batwing option for ceiling lighting, designers enjoy unmatched flexibility to create comfortable and visually appealing environments.





Effortless installation

Superlinea simplifies the setup and installation process with built-in drivers and tool-free quick connection capabilities. Each fixture integrates seamlessly into a cohesive system without the need for additional components.

The unique design of the system units allows the number of necessary suspension cables to be minimised, as they will correspond to the number of joints in the configuration, making the entire installation uncomplicated and minimally invasive.

This simplified approach not only reduces installation time but also minimizes errors, ensuring a cost-effective and hassle-free setup for both designers and installers.

To facilitate the installation of Superlinea in any context, an accessory kit is available to suspend the system in the presence of obstacles on the ceiling.


This accessory kit, easily snapped into the upper channel of the aluminum body, can slide to obtain different interdistances.

For balancing and leveling reasons, the single original hanger placed on the junction will be replaced by the kit consisting of two additional hangers.

STAND ALONE




LINEAR SYSTEM



Finishes

Superlinea in the system configuration it is offered in three options, txt white, txt black and stone grey txt, while in the ‘stand-alone’ suspension and ceiling-mounted configurations, three new colors are added to the previous ones, three material and textured finishes, iron grey, olive green, light bronze metallic.





















SUMMARY SHEET


Versions




STAND
ALONE



LINEAR
SYSTEM



SUSPENSION




CEILING


Installations

Dimensions


STAND ALONE



LINEAR SYSTEM



Emissions



DIRECT



INDIRECT




DIRECT /
INDIRECT




VACUUM
MODULE

DOWN optics



35°




53°




Diffuse



Batwing



70°



83°

UP optics

Finishes



TXT
WHITE




STONE
GREY TXT



TXT
BLACK



LIGHT
BRONZE



IRON
GREY



OLIVE
GREEN

Outputs

(Depending on optics
and dimensions)

500 lm | 700 lm | 1000 lm
1300 lm | 2000 lm | 3500 lm
4000 lm | 5000 lm | 5500 lm
6500 lm | 7000 lm | 7500 lm

Controls

- ON/OFF control
- DALI
- PUSH
- CASAMBI

Colour rendering

- CRI 92
- CRI 98


MacAdam

- 3 STEP

UGR

- UGR<19

Colour temperature



Certifications

- IP 20
- IP 40

Find out more
about the product!



