







387T1-----	LED	17W	48V	 

COMPACT

**E2F06C000**



POTENZIOMETRO



ONLY FOR TRACK 4 POLI


TO REMOVE




**MECHANICAL FIXING**

# REVO COMPACT ACCESSORIES

**9G086**  
VISOR




**9G087**  
SNOOT



**9G088**  
GLASS PROTECTION



**9G089**  
GLASS PROTECTION  
+1-60°



**9G090**  
GLASS PROTECTION +  
SPREADING FILTER



**9G091**  
HONEYCOMB





EXAMPLE



EXAMPLE



**9G092**  
A+B




CLACK!


**2**

CLACK!

**1**



**3**




**4**

360°

CLACK!





TO REMOVE



**E2F06C000**

# AREA WASHER

H



H

A



B

C

H	A	B	C
Hx0,3	Ax1,3	Bx0,5	

C

B



# DEEP WASHER

TOP SIDE

H

40°

VERTICAL

H

A

B

C

Hx0,3 Ax1,3 Bx0,5

C

B

H

A

B

B



C

a



b

h

E2F06C000





H	A	B	C
Hx0,3	Ax1,3	Bx0,5	



# GRAZING WASHER

H



H

A


B

C

H	A	B	C
Hx0,3	Ax1,3	Bx0,5	

C

B



A

B


B


C

H


b

a









**I:** LA SOSTITUZIONE DELLA SORGENTE LUMINOSA, PUO' ESSERE ESEGUITA SOLO FACENDO RIENTRARE IL PRODOTTO IN EXENIA O DA SUO CENTRO DI ASSISTENZA AUTORIZZATO.

**GB:** THE LIGHT SOURCE REPLACEMENT, CAN BE DONE ONLY TO RETURNED THE PRODUCT IN EXENIA OR FROM ITS AUTHORIZED SERVICE CENTRE.

