






METRIX






CODE 7244-

LED			IP40		
-----	--	--	------	--	--

SIMMETRICHE
SYMMETRIC



WALLWASHER (GRAZING WASHER)





LED						
-----	--	--	--	--	--	--

cod 72440

366

100mA	200mA	300mA
31,5V	32,4V	33,3V

cod 72441

727

200mA	400mA	600mA
31,5V	32,4V	33,3V

cod 72442

1088

300mA	600mA	900mA
31,5V	32,4V	33,3V

cod 72443

1448

400mA	800mA	1200mA
31,5V	32,4V	33,3V

ATTENZIONE NO
CONNESSIONE A CALDO!!!



ALIMENTARE IL DRIVER SOLOMENTE
DOPO AVER COLLEGATO
LA SORGENTE LED AL SECONDARIO


WARNING
NO HOT WIRE INSERTION!!!

FEED THE DRIVER ONLY
AFTER CONNECTED THE LED SOURCE



SEC
+ -












GIUNTO ORIENTABILE (OPTIONAL) ADJUSTABLE JOINT (OPTIONAL)

COD 7249200--

EXAMPLE










BLOCCARE REGOLAZIONE TILT DOPO POSIZIONAMENTO
LOCK TILT ADJUSTMENT WHEN POSITIONED




STAFFA A PARETE (OPTIONAL) WALL BRACKET (OPTIONAL)

COD 7249100--

EXAMPLE





BOTTONE PLAFONE (OPTIONAL) CEILING BUTTON (OPTIONAL)



COD 7249000--

EXAMPLE

2x





22,5




2x

NOT INCLUDED



2x

NOT INCLUDED



CLACK

3

