




MUSEO REVO IP67 SU CACTUS DRIVER REMOTO

CODE 841-7A---48V

CODE 841-7B---CC



LED			IP67		IK8
-----	--	--	------	--	-----










MINI
CODE 84107A
CODE 84107B

SMALL
CODE 84117A
CODE 84117B

MEDIUM
CODE 84127A
CODE 84127B

COMPACT
CODE 84137A
CODE 84137B



MAX
CODE 84147A
CODE 84147B








TILT
HEX KEY SIZE M3

ROTATION
HEX KEY SIZE M4


BLOCCARE REGOLAZIONE "TILT" E "ROTAZIONE"
DOPO IL POSIZIONAMENTO
LOCK "TILT" AND "ROTATION" ADJUSTMENTS WHEN POSITIONED









MINI
CODE 84107A
CODE 84107B




SMALL
CODE 84117A
CODE 84117B








MEDIUM
CODE 84127A
CODE 84127B



COMPACT
CODE 84137A
CODE 84137B



MAX
CODE 84147A
CODE 84147B








NO!




OK!










NO!



OK!





TO LOCK
CABLE

3rd

2nd

1st





1st

2st

1st






- ① Effettuare il fissaggio della montatura del sistema con idonei tasselli e viti
- ② Effectuer la fixation du systeme avec des vis et des chevilles adaptees
- ③ Secure the anchor bracket or stud to the wall, using appropriate screw anchors and screws
- ④ Befestigung des Gerates mit geeigneten Dübeln und Schrauben varnehmen
- ⑤ Efectuar el fijado de la montura del sistema con tacos y tonillos idoneos




NOT INCLUDED

NOT INCLUDED



TO LOCK
CABLE



ART.9G109 SNOOT MINI
ART.9G111 SNOOT SMALL
ART.9G113 SNOOT MEDIUM
ART.9G115 SNOOT COMPACT
ART.9G117 SNOOT MAX



SNOOT


ART.9G110 VISOR MINI
ART.9G112 VISOR SMALL
ART.9G114 VISOR MEDIUM
ART.9G116 VISOR COMPACT
ART.9G118 VISOR MAX





VISOR





HONEYCOMB
(ONLY FROM FACTORY)





ELLIPSE
(ONLY FROM FACTORY)



MAGNET INCLUDED



ELLIPTIC BEAM
ORIENTATION




EXAMPLE (MINI)

DEEP WASHER MEDIUM-COMPACT-MAX


TOP SIDE

H

40°



VERTICAL





H

A

B

Hx0,3 Ax1,3

B




A

B

B

H



DEEP WASHER MEDIUM-COMPACT-MAX

TOP SIDE

H

40°

VERTICAL

H

A

B

C

Hx0,3

Ax1,3

Bx0,5

C

B

H

A

B

B


C

a


b

h





I: LA SOSTITUZIONE DELLA SORGENTE LUMINOSA E DELL'UNITA' DI ALIMENTAZIONE SEPARATA, PUO' ESSERE ESEGUITA SOLO FACENDO RIENTRARE IL PRODOTTO IN EXENIA O DA SUO CENTRO DI ASSISTENZA AUTORIZZATO.



GB: THE LIGHT SOURCE AND THE SEPARATE CONTROL GEARS, CAN BE DONE ONLY TO RETURNED THE PRODUCT IN EXENIA OR FROM ITS AUTHORIZED SERVICE CENTRE.

ENERGY CLASS REF.
NS
CRI92 3500K

IT: Questo prodotto contiene una sorgente luminosa di classe di efficienza energetica F
GB: This product contains a light source of energy efficiency class F
F: Ce produit contient une source lumineuse de classe d'efficacité énergétique F
D: Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse F
E: Este producto contiene una fuente luminosa de la clase de eficiencia energetica F

ENERGY CLASS REF.
VN
CRI92 3500K

IT: Questo prodotto contiene una sorgente luminosa di classe di efficienza energetica F
GB: This product contains a light source of energy efficiency class F
F: Ce produit contient une source lumineuse de classe d'efficacité énergétique F
D: Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse F
E: Este producto contiene una fuente luminosa de la clase de eficiencia energetica F

MINI - SMALL

ENERGY CLASS REF.
SP-NF-FL
CRI92 3000K

IT: Questo prodotto contiene una sorgente luminosa di classe di efficienza energetica F
GB: This product contains a light source of energy efficiency class F
F: Ce produit contient une source lumineuse de classe d'efficacité énergétique F
D: Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse F
E: Este producto contiene una fuente luminosa de la clase de eficiencia energetica F

ENERGY CLASS REF.
SP-NF-FL
CRI98 2700K/3000K

IT: Questo prodotto contiene una sorgente luminosa di classe di efficienza energetica G
GB: This product contains a light source of energy efficiency class G
F: Ce produit contient une source lumineuse de classe d'efficacité énergétique G
D: Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse G
E: Este producto contiene una fuente luminosa de la clase de eficiencia energetica G

ENERGY CLASS REF.
SP-NF-FL
CRI98 4000K

IT: Questo prodotto contiene una sorgente luminosa di classe di efficienza energetica F
GB: This product contains a light source of energy efficiency class F
F: Ce produit contient une source lumineuse de classe d'efficacité énergétique F
D: Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse F
E: Este producto contiene una fuente luminosa de la clase de eficiencia energetica F

ENERGY CLASS REF.
NS
CRI92 3000K

IT: Questo prodotto contiene una sorgente luminosa di classe di efficienza energetica G
GB: This product contains a light source of energy efficiency class G
F: Ce produit contient une source lumineuse de classe d'efficacité énergétique G
D: Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse G
E: Este producto contiene una fuente luminosa de la clase de eficiencia energetica G

ENERGY CLASS REF.
VN
CRI92 2700K/3000K

IT: Questo prodotto contiene una sorgente luminosa di classe di efficienza energetica G
GB: This product contains a light source of energy efficiency class G
F: Ce produit contient une source lumineuse de classe d'efficacité énergétique G
D: Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse G
E: Este producto contiene una fuente luminosa de la clase de eficiencia energetica G

ENERGY CLASS REF.
VN
CRI92 4000K

IT: Questo prodotto contiene una sorgente luminosa di classe di efficienza energetica F
GB: This product contains a light source of energy efficiency class F
F: Ce produit contient une source lumineuse de classe d'efficacité énergétique F
D: Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse F
E: Este producto contiene una fuente luminosa de la clase de eficiencia energetica F

